

## 6x19-FC

### Información del producto



Alma: polipropileno


Construcción: 6x19M-FC

Marcado: According to standard

Certificación: EN 12385-4

Factor medio relleno: 0.45

RCN: 04



Referencia CYE	∅ cable mm	Área sección transversal metálica mm <sup>2</sup>	Fuerza mínima de rotura kN 1770 N/mm <sup>2</sup>	Peso kg/100m
Y106191NGD02	2	1,43	2.17	1,38
Y106191NGD03	3	3,21	4.89	3,1
Y106191NGD04	4	5,71	8.69	5,5

Y106191NGD05	5	8,93	13.6	8,7
Y106191NGD06	6	12,9	19.6	13
Y106191NGD07	7	17,5	26.6	17
Y106191NGD08	8	22,8	34.8	22,1
Y106191NxD09	9	28,9	44	28
Y106191NGD10	10	35,7	54.3	34,6
Y106191NGD11	11	43,2	65.8	41,9
Y106191NGD12	12	51,4	78.2	49,8
Y106191NGD13	13	60,3	91.8	58,5
Y106191NGD14	14	70	107	67,8
Y106191NGD15	15	80,3	122	77,9
Y106191NGD16	16	91,4	139	88,6
Y106191NGD18	18	116	176	112
Y106191NGD20	20	143	217	138
Y106191NGD22	22	173	263	167
Y106191NGD24	24	206	313	199
Y106191NGD26	26	241	367	234
Y106191NGD28	28	280	426	271
Y106191NGD30	30	321	489	311
Y106191NGD32	32	366	556	354
Y106191NGD34	34	413	628	400
Y106191NGD36	36	463	704	448
Y106191NGD38	38	516	785	500

